

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	2158121	voltage OR kilovolt\$3 OR (kilo ADJ volt\$3) OR kvp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	2005/11/23 13:15
2	BRS	L2	30846	"378"\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	2005/11/23 13:23
3	BRS	L3	8605	1 AND 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	2005/11/23 13:23
4	BRS	L4	3026062	scout OR preshot OR (pre ADJ shot) OR prescan\$4 OR (pre ADJ scan\$4) OR preliminary OR initial OR test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	2005/11/23 13:24

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	BRS	L5	2941	3 AND 4	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:24
6	BRS	L6	6944859	second OR 2nd OR third OR 3rd	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:27
7	BRS	L7	2607	5 AND 6	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:27
8	BRS	L8	11685	((second OR 2nd OR third OR 3rd) ADJ3 (voltage OR kilovolt\$3 OR (kilo ADJ volt\$3) OR kvp)) WITH (determin\$5 OR calculat\$3 OR comput\$5)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:33

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	17	7 AND 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:33
10	IS&R	L10	3307	(378/16,62,95-97,98.7,98.9,98.11,108-112,207).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:34
11	BRS	L11	1744	1 AND 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:34
12	BRS	L12	556002	(voltage OR kilovolt\$3 OR (kilo ADJ volt\$3) OR kvp) WITH (determin\$5 OR calculat\$3 OR comput\$5 OR select\$3 OR adjust\$4 OR choos\$3 OR chosen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:35

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	909	11 AND 12	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:39
14	BRS	L14	50730	(dual OR multi\$3 OR plural\$3 OR two OR second OR split) ADJ3 energy	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:44
15	BRS	L15	2952	(target OR anode) WITH cathode WITH voltage WITH energy	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:45
16	BRS	L16	274	14 AND 15	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:46

	Type	L #	Hits	Search Text	DBs	Time Stamp
17	BRS	L17	24	2 AND 16	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/11/23 13:46